























- Xuezhe Ma and Eduard Hovy. 2016. End-to-end sequence labeling via bi-directional lstm-cnns-crf. In *ACL*, volume 1, pages 1064–1074.
- Simone Magnolini, Valerio Piccioni, Vevake Balaraman, Marco Guerini, and Bernardo Magnini. 2019. How to use gazetteers for entity recognition with neural models. In *Proceedings of the 5th Workshop on Semantic Deep Learning*, pages 40–49.
- Arvind Neelakantan and Michael Collins. 2014. Learning dictionaries for named entity recognition using minimal supervision. In *EACL*, pages 452–461.
- Alexandre Passos, Vineet Kumar, and Andrew McCallum. 2014. Lexicon infused phrase embeddings for named entity resolution. *CoNLL-2014*, page 78.
- Minlong Peng, Xiaoyu Xing, Qi Zhang, Jinlan Fu, and Xuanjing Huang. 2019. Distantly supervised named entity recognition using positive-unlabeled learning. In *ACL*, pages 2409–2419.
- Matthew Peters, Waleed Ammar, Chandra Bhagavatula, and Russell Power. 2017. Semi-supervised sequence tagging with bidirectional language models. In *ACL*, volume 1, pages 1756–1765.
- Matthew Peters, Mark Neumann, Mohit Iyyer, Matt Gardner, Christopher Clark, Kenton Lee, and Luke Zettlemoyer. 2018. Deep contextualized word representations. In *NAACL-HLT*, pages 2227–2237.
- Lev Ratinov and Dan Roth. 2009. Design challenges and misconceptions in named entity recognition. In *CoNLL*, pages 147–155.
- Marek Rei. 2017. Semi-supervised multitask learning for sequence labeling. In *ACL*, pages 2121–2130.
- Tim Rocktäschel, Torsten Huber, Michael Weidlich, and Ulf Leser. 2013. Wbi-ner: The impact of domain-specific features on the performance of identifying and classifying mentions of drugs. In *SemEval 2013*, volume 2, pages 356–363.
- Min Song, Hwanjo Yu, and Wook-Shin Han. 2015. Developing a hybrid dictionary-based bio-entity recognition technique. *BMC medical informatics and decision making*, 15(1):S9.
- Dianbo Sui, Yubo Chen, Kang Liu, Jun Zhao, and Shengping Liu. 2019. Leverage lexical knowledge for chinese named entity recognition via collaborative graph network. In *EMNLP-IJCNLP*, pages 3821–3831.
- Erik F Tjong Kim Sang and Fien De Meulder. 2003. Introduction to the conll-2003 shared task: Language-independent named entity recognition. In *NAACL-HLT*, pages 142–147.
- Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N Gomez, Łukasz Kaiser, and Illia Polosukhin. 2017. Attention is all you need. In *NIPS*, pages 5998–6008.
- Xiaojun Wan, Liang Zong, Xiaojiang Huang, Tengfei Ma, Houping Jia, Yuqian Wu, and Jianguo Xiao. 2011. Named entity recognition in chinese news comments on the web. In *IJCNLP*, pages 856–864.
- Qi Wang, Yangming Zhou, Tong Ruan, Daqi Gao, Yuhang Xia, and Ping He. 2019. Incorporating dictionaries into deep neural networks for the chinese clinical named entity recognition. *Journal of biomedical informatics*, 92:103133.
- Xiaofeng Yu, Wai Lam, Shing-Kit Chan, Yiu Kei Wu, and Bo Chen. 2008. Chinese ner using crfs and logic for the fourth sighthan bakeoff. In *Proceedings of the Sixth SIGHAN Workshop on Chinese Language Processing*.
- Weixin Zeng, Jiuyang Tang, and Xiang Zhao. 2018. Entity linking on chinese microblogs via deep neural network. *IEEE Access*, 6:25908–25920.
- Yuying Zhu and Guoxin Wang. 2019. Can-ner: Convolutional attention network for chinese named entity recognition. In *NAACL-HLT*, pages 3384–3393.